



Vestibular Localization Form

Part 1 Instructions: Patterns of Dizziness

The purpose of this questionnaire is to identify difficulties you may be experiencing. Please answer every question, do not skip any questions. Circle yes or no where asked.

NAME: _____

DATE: _____

Patterns of Dizziness				
How would you explain your dizziness:				
Lightheaded			Yes / No	
Disorientation			Yes / No	
False sense of motion that you are moving	Yes / No	If yes, in which direction _____		
False sense of motion the world is moving	Yes / No	If yes, in which direction _____		
Please describe your dizziness without using the word "dizzy": 				
Are your dizziness symptoms (circle one): Recent (first episode) Reoccurring Chronic				
What is the typical duration of your symptoms (circle one)?				
A few seconds	Several seconds to a few minutes	Several minutes to one hour	Days	Weeks
Do you have hearing loss with your vertigo?				Yes / No
Do you have any ringing in your ear with your vertigo?				Yes / No
Is there any correlation with timing of your symptoms and taking a new medication (aspirin, antibiotics, diuretics, etc.)?				Yes / No
Is there any correlation with timing of your symptoms and exposure to any environmental chemicals or toxins?				Yes / No
Can your symptoms of dizziness be reduced by visually fixating on a target?				Yes / No
Are your symptoms of dizziness worse in the dark?				Yes / No
Are there any other symptoms you experience besides false sense of motion? What? (ex: Nausea, anxiety, racing heart rate, etc.) _____				Yes / No
Is there anything that can aggravate your vertigo? What? _____				Yes / No
Does anything help your symptoms? What? _____				Yes / No
Do any of the following movements cause you to feel disorientated or dizzy?				
Turning to the right			Yes / No	
Turning to the left			Yes / No	
Suddenly stopping in a car or a plane landing			Yes / No	
Looking out the window of a train or moving vehicle with your back facing the direction of movement?			Yes / No	
Looking out the window of a train or moving vehicle with your front facing the direction of movement?			Yes / No	
Moving side-to-side			Yes / No	
Suddenly moving up or down on an elevator			Yes / No	



Part 2 Instructions: DIZZINESS SYNDROMES

The purpose of this questionnaire is to identify difficulties you may be experiencing. Please select yes or no.

Perilympathetic Fistula and Superior Canal Dehiscence	
Did your dizziness start after the trauma to your ear by sudden changes of pressure to your ear?	Yes / No
Can sneezing, straining, or changes of pressure trigger your dizziness?	Yes / No
Can putting your head down to one side trigger your dizziness?	Yes / No
Can loud noises or sounds at times trigger your dizziness?	Yes / No
Have you started to notice your own voice much louder than before?	Yes / No
Have you notice any distortions of sensations of sound?	Yes / No
Benign Paroxysmal Positional Vertigo	
Can positional changes such as turning over in bed, bending over and then straightening up, or tilting your head trigger your symptoms?	Yes / No
Are your symptoms of dizziness prompted by eye or head movements and then decrease in less than one minute?	Yes / No
Does your dizziness become less noticeable each time you repeat the same movement?	Yes / No
Do your episodes of dizziness come in sudden and brief spells?	Yes / No
Vestibular Neuronitis	
Did your dizziness come on suddenly?	Yes / No
Did your dizziness start after a recent viral or bacterial infection?	Yes / No
Do you have a history of Herpes Zoster outbreaks?	Yes / No
Did your dizziness start during a period of exhaustion or weakened immune system?	Yes / No
Meniere's	
Do you notice a feeling of fullness in the ear or on the side of your head accompanying your episodes of dizziness?	Yes / No
Do you have episode of ringing in your ear accompanying your episodes of dizziness?	Yes / No
Have you experienced two or more episodes of vertigo lasting at least 20 minutes each?	Yes / No
Vestibular Migraine	
Do you experience flickering light spots (visual aura) before your episodes of dizziness or headaches?	Yes / No
Do you experience a throbbing headache before or after your episodes of dizziness?	Yes / No
Do you become extremely sensitive to light and sound before or after your episodes of dizziness?	Yes / No
Have you noticed your episodes of dizziness can be provoked by stress, low blood sugar levels, diet, chocolate, red wine, caffeine, cheeses or MSG?	Yes / No



Part 3 Instructions: PREVIOUS DIAGNOSIS

The purpose of this questionnaire is to identify difficulties you may be experiencing.

Previous Diagnosis

Have you ever been diagnosed or suffered from with the following conditions (circle all that apply):

- Benign Proxysmal Positional Vertigo (BPPV)
- Meniere's Disease
- Ototoxicity
- Otosclerosis
- Tinnitus
- Hearing Loss
- Acoustic Neuroma
- Stroke
- Migraine
- Transient Ischemic Attack (TIA)
- Perilympathic Fistula
- Superior Cana Dehiscence
- Endolymphatic hydrop
- Autoimmune Inner Ear Disease
- Cervigogenic Syndrome
- Vestibulopathy
- Cerebellum Disease
- Cholesteatoma
- Enlarged Vestibular aqueduct
- Vestibular Neuritis or Labyrinthitis
- Mal de Debarquement
- Neurototoxicity
- Trauma to your ear
- Trauma to your head/brain
- Concussion

NAME: _____

DATE: _____